

RELEASE NOTES

Cleo Transaction Designer (TD) Version 3.2.1.0

CD Contents

- install.exe - Transaction Designer installer
- README.txt - these release notes
- TDUserGuide.pdf - instructions for use of functions
- QuickStart.pdf - instructions for installation, licensing, using sample
- Conversion/convt.exe - installer for conversion utility

New in Version 3.2.1.0

Terminal screen sizes mod3 (32x80), mod4 (43x80), and mod5 (27x132) are now supported in the recorder and validator functions. Note that the host setting file (sess<n>.zcc) in the folder where the TD was installed must be edited to change the screen size (3270ScreenSize) used when connecting to the host.

New in Version 3.2.0.0

Added tn3270/tn5250 SSL support to the recorder and validator functions.

Problem Fixed in version 3.2.0.0

283 - Using right-click on a transaction name to add an Any screen no longer corrupts previously added Any screens having branch commands.

New in Version 3.1.5

30391 - Licensing has been modified to use the host name instead of the generated host id. This requires that all 3.1.3, 3.3 and 3.1.4 users of 3270 Transaction Designer upgrading to 3.1.5 obtain a new license based on the host name.

Capability added to import unrecognized screens captured by Transaction Processor, version 4.1.1 or later. The screens are saved in *.htp files in the CleoTP/scr_dump folder. To import using TD, select File/Import/Recorded Clips and specify location of *.htp file(s) containing captured screens.

Modified the parked screen in the sample transaction set, resulting in changes to the Login, Park, and Logout transactions. Added getAllScreens transaction to provide an example of a rule; it must be run after the Search transaction.

Problems Fixed in Version 3.1.4

28966 - Now handles toHost fields that wrap from the bottom of the screen to the top.

New in version 3.1.3

Licensing no longer requires network connection.

"Optional" checkbox added to toHost field definition to designate the field as not requiring input before sending to the host. That is, the TP will not populate the toHost field value unless the addInput function has been executed for the field. Use of this feature requires version 4.1.1 or later of the Transaction Processor.

README.txt

New in Version 3.1

28579 - Added concept of global screens whereby a screen containing text identifiers can be used as a base screen for any other transaction screens having the same contents. This simplifies the screen identification process since the user is only required to specify text identifiers on a particular screen once.

- A new feature allows a user of the Transaction Designer to create and publish the minimum VoicexML code necessary to invoke the VoicexML Connector. (The VoicexML connector provides VoicexML applications with the capability to invoke transactions through the Transaction Processor.) NOTE: This is not a general purpose VoicexML editor and does not generate a full VoicexML application. See the Transaction Designer User's Guide, Appendix D, for details.

- Now supports importing one or more transactions from other transaction sets into the current transaction set opened using the Transaction Designer.

Known Problems

29800 - Importing transactions containing branch and rule commands is faulty. When importing a transaction with a screen containing a branch command, double clicking on the toHost branch command value shows blanks for all screens and transactions. This is because the imported screens and transactions have been renamed, but not in the branch command.

Also, it is possible to import a screen with a rule command, but not the associated transactions within the rule, and a publish works. The rule command contains an undefined transaction, not reported until run by the TP.

workaround: Rule and branch commands in imported transactions must be re-created.

29797 - TD does not prevent renaming or deleting a from host field used in a rule. If a from host field is deleted or renamed AFTER a rule was defined using it, the rule command will not work as expected when run by the Transaction Processor.

29719 - If a transaction set containing BLANK and/or ANY screens is imported, an error is reported, "There was an error importing recorded clips." even though the import function was successful.

29767 - Recorder and Validator cannot connect to the host using emulation software on a Unix system.

29754 - From host fields should not be added to blank screens, yet the TD allows it.

29759 - Once the user changes a base screen to an "ANY" screen, it cannot be changed back.

workaround: Delete the "Any" screen and re-add the transaction screen using copy/paste, or by copying a recorded screen into the transaction and setting the base screen.

29715 - "Cancel" button does not function in the host setting dialog of the validator

workaround: Close the dialog box by clicking the "X" in the upper right corner.

20272 - TD Recorder does not display host PROG checks on the status line.

20251 - All fields on the TD recorder screen are considered alphanumeric, meaning that non-numeric characters can be typed into numeric fields without causing the keyboard to lock.

README.txt

28679 - If the recorder attempts to connect to an invalid host address or port using the local settings, there is no indication in the status line that the connect failed.

Workaround:

Check for a blank screen and a status line with no indicators. If the starting host screen should not be blank, retry using Connect under the Session menu and recheck recorder host settings.

29792 - Removing TD Conversion Utility results in inability to run the TD on some platforms.

Workaround: Do not remove the TD Conversion Utility. If it is removed, the TD must be re-installed.